



6"



18"



GRAIN PENDANT 18

A larger version of our Grain Pendant 13 and Grain Pendant 16, the Grain Pendant 18 provides a deeper shade that obscures the bulb from view. The wooden tool, formed from four-inch thick maple, has been cut to showcase the wood's beautiful grain patterns, like a topographic map. Paired with a flared glass socket, the Grain Pendant provides a nice upward highlight as well.

DIMENSIONS

18" x 18" x 6"

DROP HEIGHT

6' Cloth-Covered Cord Standard

BULB SPECS

E26 G25 LED 5W Frosted Standard

CERTIFICATION

UL
CE Listed Upon Request
Title 24 Compliant (GU-24 Optional)

VOLTAGE

120v/220v

COLORWAYS


White & Aluminum
Black & Brass

LUMENS

480 Standard

DIMMABILITY

TRIAC Dimmer Compatible



GRAIN PENDANT 16

This pendant is a study in materials and process. The aluminum shade is formed over a wooden mold that has been sandblasted to raise the wood grain. During the metal spinning process the patterns of the wood grain are impressed on the finished part. The shade is then suspended on a flared glass socket. The Grain Pendant 16 is designed to work perfectly with a Silver Tip G25 bulb, which reflects light up to illuminate the glass socket and accentuate the wood grain imparted on the metal shade.

DIMENSIONS

16" x 16" x 5"

DROP HEIGHT

6' Cloth-Covered Cord Standard

BULB SPECS

E26 G25 LED 5W Silver Tip Standard
E26 G25 LED 5W Frosted Available

CERTIFICATION

UL
CE Listed Upon Request
Title 24 Compliant (GU-24 Optional)

VOLTAGE

120v/220v

COLORWAYS

White & Aluminum
Black & Brass


LUMENS

480 Standard


DIMMABILITY

TRIAC Dimmer Compatible

5"



13"



GRAIN PENDANT 13

This pendant is a study in materials and process. The aluminum shade is formed over a wooden mold that has been sandblasted to raise the wood grain. During the metal spinning process the patterns of the wood grain are impressed on the finished part. The shade is then suspended on a flared glass socket. The Grain Pendant 13 is designed to work perfectly with a Silver Tip G25 bulb, which reflects light up to illuminate the glass socket and accentuate the wood grain imparted on the metal shade.

DIMENSIONS

13" x 13" x 5"

DROP HEIGHT

6' Cloth-Covered Cord Standard

BULB SPECS

E26 G25 LED 5W Silver Tip Standard
E26 G25 LED 5W Frosted Available

CERTIFICATION

UL
CE Listed Upon Request
Title 24 Compliant (GU-24 Optional)

VOLTAGE

120v/220v

COLORWAYS

White & Aluminum
Black & Brass

LUMENS

480 Standard

DIMMABILITY

TRIAC Dimmer Compatible